

According to EC Directive 1907/2006/EC and to Regulation (EC) No 1272/2008 [CLP]

Trade name: Calcitonin IRMA

Product number: DE16100

Date of Issue: 28-02-2008 Updated: 01-04-2019

1. Identification of the substance/preparation and of the company

Product name: Calcitonin IRMA Kit, coated tube

Product code: DE16100

Product formal name: Diagnostic reagent

Application of the substance/preparation: In-vitro diagnostic test KIT **Manufacturer/Supplier**: Demeditec Diagnostics GmbH

Lise-Meitner-Str. 2 24145 Kiel, Germany

Phone number: +49 (0) 431 / 71922 - 0 Fax number: +49 (0) 431 / 71922 - 55

Further information available from: www.demeditec.de Email address of the competent person: info@demeditec.de

Information in case of emergency: call your local emergency centre

2. Hazards identification:

2.1 Classification of substance or mixture of the KIT

Classification according to Regulation (EC) No 1272/2008 [CLP]

Not classified as hazardous per EC 1272/2008 [CLP].

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Harmful if swallowed. Contact with acids liberates very toxic gas. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Not classified as hazardous per EC 1272/2008 [CLP].

2.3 Other hazards

Additional information:

- 1. **Sodium azide** is a toxic substance. Avoid contact with components, which contain sodium azide and do not ingest.
- 2. <u>Biologically derived materials</u>: All components may contain human or animal biologically derived materials..
- 3. <u>Radioactive component Iodine 125:</u> This is a radioactive tracer element with 60.2 day radioactive half-life. Emits gamma rays. It is the responsibility of the user to ensure that local regulations or code of practice related to the handling of radioactive materials are satisfied.

3. Composition / Information on ingredients:

Component No.	Component Name	Description		
1	Tracer	1 bottle (11 ml), ¹²⁵ I-antibody in buffer < 740 kBq		
2	Standards	6 vials (6 x 1.0 mL), containing animal serum		
3	Control Serum	2 vials (2 x 1 mL), containing human serum		
4	Coated Tubes	Protein coated polystyrene test tubes, 2 packs, 50 tubes/pack		
5	Washing Buffer Concentrate	1 bottle (20 mL), containing detergent in buffer		
6	Dilution Serum	1 vial, containing animal serum		

Page 1/5



According to EC Directive 1907/2006/EC and to Regulation (EC) No 1272/2008 [CLP]

Page 2/5

Trade name: Calcitonin IRMA

Product number: DE16100

Component No.	Hazard description		
1	Contains radioactive material. Contains animal origin, biologically derived material and sodium azide (NaN3) as preservative (< 0.1%).		
2	Contains human and/or animal origin, biologically derived material and		
3	Kathon CG as preservative (< 0.1%).		
4	Contains animal origin, biologically derived material		
5	Contains detergent and sodium azide as preservative (< 0.2%).		
6	Contains animal origin, biologically derived material and sodium azide as preservatives (< 0.1%)		

Dangerous component(s):

Dangerous cor	· · · /					
International chemical identification	CAS#		EC no			
Sodium azide	26628-22-8		247-852-1			
	Classification	Classification		Labelling		
	Hazard class and	Hazard	Supplementary	Pictogram(s),		
	Category Code(s)	statement	hazard statement	signal word		
		Code(s)	Code(s)	Code(s)		
	Acute tox. 2	H300		GHS05		
	Aquatic Acute 1	H400	EUH 032	GHS06		
	Aquatic Chronic 1	H410	1	GHS09 Dgr		
	Signal words		Pictogram(s)			
	Danger			¥2>		
			Skull and crossbones	Enviroment	Corrosive to metals	

Hazardous statements:

H300 Fatal if swallowed H400 Very toxic to aquatic life H410 Very toxic to aquatic life

EUH032 Contact with acids liberates very toxic gas

Precautionary statements:

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P310 + P330 If swallowed immediately called a POISON CENTER or doctor/physician.

Rinse mouth.

P302 + P352 + P310 If on skin gently wash with plenty of soap and water. Immediately called a

POISON CENTER or doctor/physician.

P391 Collect spillage.

P501 Dispose of contents/container as waste: in an approved waste.



According to EC Directive 1907/2006/EC and to Regulation (EC) No 1272/2008 [CLP]

Trade name: Calcitonin IRMA

Product number: DE16100

4. First Aid:

After inhalation: Remove victim to fresh air. If breath laboured, administer oxygen as needed.

If victim is not breathing, administer artificial respiration or CPR.

After eye contact: Flush with copious amount of fresh water for at least 15 minutes.

After skin contact: Wash well with mild soap and copious amount of fresh water.

After swallowing: Flush mouth with copious water (do not swallow rinse water).

General information: If ingested, or in case of feeling unwell, seek medical advice urgently. If

possible, save sample of material that caused reaction for use in

determination of appropriate treatment.

5. Fire extinguishing measures:

Suitable extinguishing agents: Use extinguishing media (dry sand, cement) appropriate to

surrounding fire. Dangerous gases, which are damaging to

health, do not form in dangerous quantities.

Extinguishing agents not to be used: None known.

Protective equipment: No special equipment or procedures are required.

6. Accidental release measures:

Personal precaution: Ensure adequate ventilation. Use personal protective equipment.

Environmental precaution: Prevent further leakage or spillage of safe to do so.

Methods for cleaning up, after spillage:

Biological vials: Absorb spills of reagents and patient samples with absorbent paper.

Clean spill area with a freshly prepared sodium hypochlorite (bleach)

solution and absorb it.

Radioactive vials: The radioactive material should be wiped up immediately. Wastes

have to be treated according to the country's legislation.

7. Handling and storage:

Handling: Wear suitable personal protective equipment. Do not pipette patient samples or

reagents by mouth. Avoid splashing. Use all reagents in accordance with relevant package insert. Avoid high temperature and freezing. Do not eat, drink, smoke or

apply cosmetics in laboratory areas.

Storage: Store kit reagents in accordance with the relevant package insert. Do not store

together with ignitable and flammable substances.

8. Exposure controls/personal protection:

Personal protective equipment:

Body and skin protection: Wear laboratory coat.

Respiratory protection: Under normal and intended conditions of use not required. In case of

fire, wear self-contained breathing apparatus.

Protection of hands: Wear non-permeable rubber, neoprene, latex or nitrile disposable

gloves. Change gloves when they become contaminated.

Skin protection: Wash hands after working with substance.

Eye protection: Wear safety glasses or goggles when splash hazard exists. **Hygienic measures:** Handle in accordance with good industrial hygiene and safety

practice. Wash hands before breaks and immediately after handling

the product. Keep away from food and drink.

Additional information: Avoid contact with skin and/or mouth. Avoid absorption through non-

protected wound. Avoid splashing or aerosol formation. Use all

reagents in accordance with the relevant package insert.

protected would. Avoid spiasining of aerosol formation.

Page 3/5

de medi

SAFETY DATA SHEET

According to EC Directive 1907/2006/EC and to Regulation (EC) No 1272/2008 [CLP]

Page 4/5

Trade name: Calcitonin IRMA
Product number: DE16100

9. Physical and chemical properties:

Component No.	1	2, 3	4	5	6
Physical state	liquid	solid	solid	liquid	liquid
Colour	red	yellow	clear	clear	yellow
Odour	odourless	modest	odourless	odourless	modest
pH	6.5 - 7.5	N/A	N/A	6.5 - 7.0	6.0 - 8.0
Solubility in water	complete	complete	N/A	complete	complete
Melting point	0 °C	N/A	ca. 240 °C	0°C	0 °C
Boiling point	100 °C	N/A	N/A	100 °C	100 °C
Flammability	N/A	N/A	N/A	N/A	N/A
Auto flammability	Will not occur				
Vapour pressure	N/A	N/A	N/A	N/A	N/A
Relative Density	1-2	N/A	N/A	1-2	1-3

10. Stability and reactivity:

Reactivity: No hazardous reactions when used appropriately.

Stability: The reagents in the kit are stable under the storage conditions

described in the package insert.

Materials to avoid: Avoid contact with acids, bases, oxidizing agents, reducing

agents, explosive, heavy metals and metallic salts (explosive

metal azide complex, when azide built up occur).

Hazardous decomposition products: None known.
Hazardous polymerization: Will not occur.
Conditions to avoid: None known.

11. Toxicological information:

Toxicity data for hazardous ingredients:

Sodium azide (CAS # 26628-22-8): Oral LD50 Rat 27 mg/kg; Dermal LD50 Rat 50 mg/kg;

Dermal LD50 Rabbit 20 mg/kg

Route of exposure:

Skin contact: May cause skin irritation.

Skin absorption: Danger of skin absorption, may be harmful if absorbed through

the skin.

Eye contact: May cause eye irritation.

Inhalation: May be harmful if inhaled. May cause irritations of mucous

memranes and upper respiratory tract.

Ingestion: Harmful if swallowed. May cause irritations of mucous membanes

in the mouth, pharynx, oesophagus and gastrointestinal tract.

Additional information: This product contains radionuclide, a chemical known to cause

cancer and reproductive harm.

This product contains materials of human and animal origins and should be considered as potentially infectious materials.

12. Ecological information:

Ecotoxical effects: Sodium Azide is toxic for aquatic organisms.

Radioactivity: Dispose of following local regulations and guidelines.

13. Disposal considerations:

Product / packaging: Contact appropriate local authorities, approved waste disposal companies

who will advise you on how to dispose of special waste.

If drain disposed, dilute and flush with copious amount of running water to

prevent azide build-up.

14. Transport information:

RID/ADR/IATA 7 UN Number: 2910

Proper shipping name: UN 2910 Radioactive material excepted package - limited quantity of

materials



According to EC Directive 1907/2006/EC and to Regulation (EC) No 1272/2008 [CLP]

Calcitonin IRMA

Product number: DE16100

15. Regulatory information:

Labelling according to EU guidelines: The product has been classified and marked in accordance

with EU Directives / Ordinance on Hazardous Materials.

Hazard-determining components of labelling: *NaN₃

* But as mentioned in the REGULATION (EC) No 1272/2008 under point 1.5(a) there is no hazard labeling necessary as the total volume of the components of the KIT is under 125 ml.

Other information: Radioactive material in accordance with "A.R. of 28/02/1963 art. 31" and

following, relating to the protection of the population and workers against the

danger of ionising radiations.

16. Other information:

- The human blood components included in this kit have been tested and found negative for HBsAg, anti-HCV and anti-HIV-1, 2 and Treponema Antibody. No known method can offer complete assurance that human blood derivatives will not transmit hepatitis, AIDS or other infections. Therefore, handling of reagents, serum or plasma specimens should be in accordance with local safety procedures.
- All animal products and derivatives are collected in healthy animals without any disease.
- The BSA (Bovine Serum Albumin) originates from countries where BSE (Bovine Spongiform Encephalopathy) as not been reported.
- The information herein is believed to be correct as of the date hereof but is provided without warranty of any kind. The recipient of our products is responsible for observing any laws and guidelines.
- For in vitro diagnostics only.
- This radioactive product can be transferred to and used only by authorised persons; purchase. storage, use and exchange of radioactive products are subject to the legislation of the enduser's country.
- In no case the product must be administered to humans or animals.
- Do not smoke, drink, eat or apply cosmetics in the working area.
- Do not pipette by mouth.
- Use protective clothing and disposable gloves.
- All radioactive handling should be executed in a designated area, away from regular passage.
- A logbook for receipt and storage of radioactive materials must be kept in the lab.
- Laboratory equipment and glassware, which could be contaminated with radioactive substances, should be segregated to prevent cross contamination of different radioisotopes.
- Any radioactive spills must be cleaned immediately in accordance with the radio safety procedures.
- The radioactive waste must be disposed of following the local regulations and guidelines of the notified bodies holding jurisdiction over the laboratory.
- Adherence to the basic rules of the radiation safety provides adequate protection.

Page 5/5